



???????? - ??? ?????????????? ??? ????????? - REDKEN

??? ?????????? ???????
??? ?????????? ???????



REDKEN
5TH AVENUE NYC

✉ bbazar@globelife.com
☎ +39 0331 1706328



??? ?????????? ???????
??? ?????????? ???????

????????????????? ??????? ?????????? ??? ?????????? ?????????? ??????? ?????????????????? ??? ??
????????? ??? ?????????? ??????? ??? ??????????

SHOT ?????

- ?? SHOT ?????????????????? ?? ?????????????????? ?????????? ??? ?????????? ??? ?? ??????????????????
- ?? ?????????? ?? ?????????? ?????????? ?? ?? ?????????????????? ?? ?????????? ??? ???????
- ????????? ?? ??????????, ??????? ?????? ?? ????? ?????????, ??????, ?? ?????? ?? ?????????
- ?? ?????????????????? ??????? ?? ??????? ?? ??????? ?? ?????????? ?? ??????? ??????? ??? ???
- ?????. ?? SHOT ?????????? ?? ?????????????????? ??????? ?? ? ?????????????????? ??????? ?????.
- EXTREME SHOT ????? : ??????? ??????????????. ?????????? ??? ?????????? ?? ??????. 500 ml.
- COLOR ????????? SHOT ????? : ??? ??????? ??????. ?????????????????? ??? ?????????????????? ?? ?????????? ??????, ?????????????????? ?? ?????????????????? ?? ?????????????????? ??????. 500 ml.
- REAL ????????? SHOT ????? : ?????? ?????????? ?? ?????????????????? ?? ??????, ??????? ?? ??????????????????????. ?????????? ?? ?????????? ?? ?????????? ?????????? ??????????????. 500 ml.
- ????? ?????????????????? ????? : ?????????? ?????????? ?? ??????????????????. ?????? ??????? ??? ??? ?????????? ??????????????. 500 ml.
- ALL SOFT SHOT ????? : ??????? ?? ?????????? ??????. ?????? ?????????????????? ?????????? ??? ??????. 500 ml. Phix ?????? ??? ?????????? ?????? ?????? ?? ??????? ?? ?????????? ?? SHOT phix. ?????? ?? ?????? ?? ?????????????????? ?? ?????????????????? ?????????? Interbond Conditioning ?? ?????????? ?? ?????? ?????????????????? ?????????? ?? ??????. ?????????, SHOT phix ?????????????????? ?? pH ??? ??????, ?????????? ?? ?????????? ?? ?????????????????? ??????? ??? ?????????????????? ?? ?????????? ?? ??????????
- SHOT phix 3.5 : ??? ??????? ?????????????????? ??????. 250 ml
- SHOT phix 5.5 : ?? ??????? ?????????????????? ??????????. 250 ml