



????? - ?????? ?? ?? - MEDAVITA

**COLORCONTROL - ?????? ???**  
COLORCONTROL - ?? tecnici ?? ??? ???



**MEDAVITA**

✉ [bbazar@globelife.com](mailto:bbazar@globelife.com)  
☎ +39 0331 1706328

**COLORCONTROL - ?????? ???**  
COLORCONTROL - ?? tecnici ?? ??? ???

???? ?? ??? ?????? ?????? ? ?????????? ?? ??? ??? ?????????? ? ????? ?? ?? ? ?????????? ?? ?? ? ??  
?? ??????

**?? MILK ?? pH iperproteico 5.8**  
??? ??????? ?? ????? ? ?? ?? ?????? ??? ? ?????? ???.  
1000 ????? ????? ??????

**?? ?????? COSMETIC pH ?????? 5.8**  
????? ??? ? ??? ? ?? ?? ?????? ?? ??? ?????? ??? ?????? ?? .???? ?????? ????? 250 ????? ??????  
???? ?? ???? 1000 ????? ?????

??? ??? ?? ??? ????? ? ????? ?? ??? ??? ??????????. 250 ????? ????? ?????.

**?? DET. pH ? ?????????? ????? 5.5**  
????? ?????? ??? ?? ?????? ? ?????????? ?????? ?????? ?????? ?? ?? ?? ?????? ??? ??? . 1000 ????  
???? ??????

**?? ??????????? DOPOCOLORE pH ?????? 3.5**  
???? ? ?????????? ????? ??? ?? ??? ?????? ????? ?????????? .???? 7 ????? ?????? ????????? 24 ???.

**?? ?? ?? pH ?????????? 4.5**  
????????? ??? ?????????? ?????????? ????? ?????? ??? ??? / ????? ?????? ?????????? ? ??????  
250 ????? ????? ??????