



????? - ?????? ?? ?? - MEDAVITA

**COLORCONTROL - ?????? ???**  
COLORCONTROL - ?? tecnici ?? ??? ???



**MEDAVITA**

✉ [bbazar@globelife.com](mailto:bbazar@globelife.com)  
☎ +39 0331 1706328

**COLORCONTROL - ?????? ???**  
COLORCONTROL - ?? tecnici ?? ??? ???

???? ?? ??? ?????? ?????? ? ????????? ?? ??? ??? ??????? ? ????? ?? ?? ? ??????? ?? ?? ? ??  
?? ??????

**?? MILK ?? pH iperproteico 5.8**  
??? ??????? ?? ????? ? ?? ?? ?????? ??? ? ?????? ???.  
1000 ????? ????? ?????.

**?? ?????? COSMETIC pH ?????? 5.8**  
????? ??? ? ??? ? ?? ?? ?????? ?? ??? ????? ??? ?????? ?? .???? ????? ????? 250 ????? ??????  
???? ??? ??? 1000 ????? ?????

??? ??? ?? ??? ????? ? ????? ?? ??? ??? ??????????. 250 ????? ????? ?????.

**?? DET. pH ? ????????? ????? 5.5**  
????? ?????? ??? ?? ?????? ? ??????? ?????? ????? ??????? ?? ?? ?? ????? ??? ??? . 1000 ????  
???? ?????.

**?? ?????????? DOPOCOLORE pH ?????? 3.5**  
???? ? ??????? ????? ??? ?? ??? ?????? ????? ??????? .???? 7 ????? ????? ??????? 24 ???.

**?? ?? ?? pH ????????? 4.5**  
?????? ??? ??????? ????????? ????? ?????? ??? ??? / ????? ????? ??????? ? ?????.  
250 ????? ????? ?????.