



????? - ?????? ?? ?? - MEDAVITA

**COLORCONTROL - ?????? ???**  
COLORCONTROL - ?? tecnici ?? ??? ???



**MEDAVITA**

✉ [bbazar@globelife.com](mailto:bbazar@globelife.com)  
☎ +39 0331 1706328

**COLORCONTROL - ?????? ???**  
COLORCONTROL - ?? tecnici ?? ??? ???

???? ?? ??? ?????? ?????? ? ??????? ?? ??? ??? ?????? ? ????? ?? ?? ? ?????? ?? ?? ? ??  
?? ?????.

**?? MILK ?? pH iperproteico 5.8**  
??? ?????? ?? ????? ? ?? ?? ?????? ??? ? ?????? ???.  
1000 ????? ????? ?????.

**?? ????? COSMETIC pH ????? 5.8**  
????? ??? ? ??? ? ?? ?? ?????? ?? ??? ????? ??? ?????? ?? .???? ????? ????? 250 ????? ?????  
???? ??? ??? 1000 ????? ?????

??? ??? ?? ??? ????? ? ????? ?? ??? ??? ??????????. 250 ????? ????? ?????.

**?? DET. pH ? ??????? ????? 5.5**  
????? ?????? ??? ?? ?????? ? ?????? ?????? ????? ?????? ?? ?? ?? ????? ??? ??? . 1000 ????  
???? ?????.

**?? ????????? DOPOCOLORE pH ????? 3.5**  
???? ? ?????? ????? ??? ?? ??? ?????? ????? ??????. ??? 7 ????? ????? ??????? 24 ???.

**?? ?? ?? pH ??????? 4.5**  
?????? ??? ?????? ??????? ????? ?????? ??? ??? / ????? ????? ?????? ? ?????.  
250 ????? ????? ?????.