



????? - ????? ?? ?????? - BIACRÉ'

???????? P ??????????????  
?????? ?? ?????????? ?????? keratinico



✉ bbazar@globelife.com  
☎ +39 0331 1706328



???????? P ??????????????  
?????? ?? ?????????? ?????? keratinico

?? ?????????? ????? ?? ????????? reinstates. ?????????? ?????????? ?? ?????????? ????? ?? ?? ?????????  
???? ?? ?? ?????????????????? ?????????? ?????????? ?????????? ?????????? ?????????? ?????????? ?????????? ??  
????? ?? ?????????? ?????????? ??????

????? ??? ??? ???????  
??? 1-pH 7.0/7.5

????????? ?? ??? ?????????? ?????? '?????? ?? ?????? ?? ?????????? ?? ?????????? ?????? ??? ?????????????  
????????? ?? ?????? ??????? '?????????' ?????????? ?? ?????? ?? ?????????? ?? ?????? ?? ?????? ?????? ??  
????? ?? ??? ?????????????? ?????????? ?????? ?? ?? ?????? ?? ?????? ?? ?????????? ?? ?????????? ??  
????????? ?????? ?? ??? ?? ?????? ?????????? ?????? ?? ??? ?????????? ?????????????? ?????? ?? ?????????? ??  
????? ?????? ???

????? ??? ??????? ??????  
??? 2-????? 4.0/4.5

??? ?????????? ?? ?????? ?? ??? ?????? ??? ?? ?????? ?? ?????? ?????????? ?? ?????????? ?? ???  
????????????? ?????????? ??? ?????? ?? ?????? ??? 1 ?????? ??? ?????????? ?????????????? ?????? ?? ??????  
????????? ?? ?????????? ?????????????? ??? ?? ?????? ??? ?????? ?????????? ?????? by ?? ?????? ??????

????????? ?????????? ?????? ??????  
??? 3-????? 4.5/5.0

????????? ?????? '????????? ?? ?????????? ?????? ?????????? ?????????????????? ?????? ?? ?????? ?????????  
reconstructs' ?????????? ?? ?????????? ?????????? ?? ??? ?? ?????? ?? ??? ?? ?????? ?? ?????? ??????  
?????? ?? ??? ?????????? ?????? ?? ?????? ?????? ?? ?????? ?????? ?? ??? ?????????? ?????? ???  
?????: PURIFYING ?????????? 500 ?????????? ?? ?????; ??? ?????? 500 ?????????? ???; ?????????  
????? ?????????? ?????? 200 ?????????? ?? ??? ???; ?? ??? ?? ?????? ?? ???; 100 ?????? ?? 3 ??????????

**KERANTIN** ?????????????? ?? ??? ?????? ?????? ?? ??????  
?? ??? ?? ??? ?????? ??? ?? ?????? applicator ?? ?? ?????? ?? ?????? ???